----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH ------

Total 1	999 Populat		59,520	(Cancer incidence is		Activities Reported		Per 10,000
İ	nt Female		49.8	Primary Site	Number	Public Health Nursing		l
Populat	ion per squ	are mile				Total clients	756	126
	in state		23	Breast	22	Total visits	2,884	482
	ighest popu			Cervical	3	Visits: Reason for		_
72=1	owest popul	lation dens	sity.)	Colorectal	13	Gen hlth promotion		9
ļ				Trachea, Bronchus, Lung		Infant/child hlth	224	-
Age	Female	Male	Total	Prostate	11	Infectious & parasitic		6
0-14	6,580	6,930	13,520	Other sites	36	Circulatory Prenatal	2	0
15-19	2,320	2,510	4,830	Total	103			24
20-24	1,830	1,920	3,750		J	Postpartum	219	37
25-29	1,680	1,680	3,360	LONG-TERM CAR	E			
30-34	1,970	2,000	3,970			WIC Participants	1,397	235
35-39	2,700	2,810	5,510	Community Options and MA	Waiver			
40-44	2,690	2,790	5,470	Programs		Clinic Visits	13,507	2,255
45-54	4,050	4,320	8,390	# Clients		Immunization Blood pressure	7,660	1,279
55-64	2,280	2,380	4,660	COP 51	\$208,253	Blood pressure	699	117
65-74	1,610	1,420	3,030	MA Waivers *				
75-84	1,280	820	2,100	CIP1A 8	\$662,863	Environmental Contacts		
85+	680	270	950	CIP1B 129 CIP2 103	\$2,296,941	Env hazards	8	1
Total	29,660	29,860	59,520	CIP2 103	\$925,386	Public health nuisance	17	3
	•	•	,	COP-W 132	\$484,255			
Age	Female	Male	Total	COP-W 132 CSLA 6	\$34,611			
0-17	7,930		16,360	Brain Inj 7	\$410,075			
18-44		12,220	24,050	Total COP/Wvrs 390	\$5,022,384			
45-64	6,330	6,700	13,050		, i			
65+			6,080	\$50,394 of the above	Waiver costs	Health Education		
Total	29,660	29,860	59,520	were paid as local mat		Community sessions	112	19
i	,	,	, , ,	using COP funds. This		Community attendance	1,555	260
(Poverty	estimates	for 1995 a	are	not included in above		School sessions	1	0
	d in the 19			1100 111014464 111 42016	001 00202.	School attendance		10
	statistics			* Waiver costs reported	here	2011001 000011001100		
	he 2000 Cer		грансса	include federal fundin		Staffing - FTEs		
				inorade reactar randin	٠٠٠	Total staff	16	2.7
	EMPLO	OVMENT			ľ	Administrators	1	
	wage for jo			Home Health Agencies	2	Public health nurses		
	loyment Cor			Patients	435	Public health nurses Public health aides	1	0.2
	erage wage			Patients per 10,000 pop		Environmental specialist		
	work, not			racterics per 10,000 pop	. /3	mivitonmental specialist		•
	WOIK, HOU	Prace or I	cordence.	Nursing Homes	9			
 Inhor Fo	rce Estimat	tog Annus	1 Amorago	Licensed beds	702	LOCAL PUBLIC HEALT	דרואוים טיו	NC
	n labor for			Occupancy rate	81.6%	(funding data not a		
Numbo	n tanor rol	LCE	34,730 21 002	Posidonts on 12/21/00	566	(runding data not a	avarrabr	C)
Nullibe	r embroked	- A	31,334 766	Desidents and CF1	000			
Numbe	r duembroke	eu eta	/ 0 0 0 2 %	Residents on 12/31/98 Residents aged 65 or olper 1,000 population	aer 89			
l onem	proyment ra	ale	4.56	per 1,000 population	89			

----- NATAI,TTY ---------TOTAL LIVE BIRTHS 886 Birth Order Births Percent Marital Status First 381 43 of Mother Births Percent
 Second
 287
 32
 Married
 731
 83

 Third
 152
 17
 Not married
 155
 17

 Fourth or higher
 64
 7
 Unknown
 0
 0

 Unknown
 2
 <.5</td>
 Crude Live Birth Rate 14.9 General Fertility Rate 67.1 Third congenital anomalies 7 . % Education First Prenatal
Visit Births Percent Births Percent of Mother Delivery Type Births Percent Elementary or less 1 < . 5 Vaginal after
Vaginal after
previous cesarean
126 3 2nd trimester 87 10 High school 301
Forceps
5 1 3rd trimester 10 1 Some college 221
Other vaginal
1694 78 No visits
12 <.5 College graduate 317
Primary cesarean
17 Visits
18 Visits
18 Visits
18 Visits
19 Visits
19 Visits
10 Visits
10 Visits
11 Vinknown
12 Visits
13 Vinknown
13 Vinknown
14 Visits
15 Visits
16 Visits
17 Visits
18 Visits
19 Visits
19 Visits
10 Visits
10 Visits
11 Vinknown
12 Visits
13 Vinknown
14 Vinknown
15 Visits
16 Visits
17 Visits
18 Visits
19 Visits
19 Visits
19 Visits
19 Visits
19 Visits
19 Visits
10 Visits
10 Visits
10 Visits
10 Visits
11 Vinknown
12 Visits
13 Visits
14 Visits
15 Visits
16 Visits
17 Visits
18 Visits
19 Visits 317 36 7 1 Repeat cesarean 62 Other or unknown 0 Smoking Status Number of Prenatal of Mother Births Percent Care visits Births Percent
 Birth Weight
 Births
 Percent
 No visits
 2
 <.5</th>
 Smoker

 <1,500 gm</td>
 4
 0.5
 1-4 visits
 7
 1
 Nonsmoker

 1,500-2,499 gm
 45
 5.1
 5-9 visits
 209
 24
 Unknown

 2,500+ gm
 836
 94.4
 10-12 visits
 400
 45

 Unknown
 1
 0.1
 13+ visits
 252
 28

 Unknown
 16
 2
 124 744 84 18 Low Birth Weight Trimester of First Prenatal Visit
(under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknown
Births Percent Pirths Percent Total Births Race of Mother Births Percent Births Percent Births Percent Births Percent 759 87 86 10 24 3 869 98 45 5.2 White 2 <.5 Black Other Unknown Low Birth Weight Trimester of First Prenatal Visit
 Births
 Rate
 Births Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent
 Births
 Percent</t Fertility (under 2,500 gm) Age of Mother <15 2 15.4 2 5.4 8 4.9 12 3.9 16 6.8 38 22 10 5 12 5 6 8 1 15-17 18-19 162 88 20-24 306 182 36 25-29 237 120 112 41 15 . 4 --15 30-34 2 1.8 105 94 3 20.0 13 87 35-39 6 40+ Unknown Teenage Births 50 22 * - Not reported. Age or race category has less than 5 births

Disease	Number
Campylobacter Enteriti	s <5
Giardiasis	5
Hepatitis Type A	<5
Hepatitis Type B**	<5
Hepatitis NANB/C***	
Legionnaire's	0
Lyme	7
Measles	0
Meningitis, Aseptic	<5
Meningitis, Bacterial	0
Mumps	0
Pertussis	5
Salmonellosis	<5
Shigellosis	0
Tuberculosis	0
1999 provisional data	
' Includes all positive	HBsAg
test results	
** Unavailable at time o	f printing

Sexually Transmitted Disease

Chlamydia Trachomatis	59
Genital Herpes	14
Gonorrhea	<5
Nongonococcal Cervicitis	<5
Nongonococcal Urethritis	
Syphilis	•

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	11,389
Non-compliant	91
Percent Compliant	99.2

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS453Crude Death Rate761

Age	Deaths	Rate
1-4	1	
5-14	•	
15-19	4	
20-34	7	
35-54	37	191
55-64	37	795
65-74	64	2,110
75-84	129	6,159
85+	162	17,037

Infant

Mortality	Deaths	Rate
Total Infant	12	•
Neonatal	8	
Postneonatal	4	
Unknown		

Race of Mother		
White	10	
Black		
Other	2	
Unknown	•	

Birth Weight <1,500 gm 2 1,500-2,499 gm 4

2,500 2,135 gm 6 Unknown 6

Perinatal

Deaths	Rate
10	
8	
2	

Selected

Underlying Cause	Deaths	Rate
Heart Disease (total)	136	228
Ischemic heart disease		
Cancer (total)	88	148
Trachea/Bronchus/Lung	•	
Colorectal	9	
Female Breast	8	. 7
Cerebrovascular Disease	45	76
Lower Resp. Disease		
Pneumonia & Influenza	7	
Injuries	22	37
Motor vehicle	12	
Diabetes	13	
Infectious & Parasitic	9	
Suicide	2	

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	5	
Other Drugs	5	
Both Mentioned		

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	
Total Crashes	670	15
Alcohol-Related	118	5
With Citation:		
For OWI	83	0
For Speeding	45	0
Motorcyclist	30	2
Bicyclist	7	0
Pedestrian	7	0

----- HOSPITALIZATIONS ------

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related	d: All					Alcohol-Relate	ed				
Total	221	3.7	3.6	\$8,347	\$31	Total	47	0.8	6.6	\$3,279	\$3
<18	12					18-44	31	1.3	6.1	\$3,022	\$4
18-44	49	2.0	2.6	\$5,881	\$12	45-64	14				
45-64	42	3.2	3.5	\$7,966	; \$26	Pneumonia and	Influenza				
65+	118	19.4		\$10,095	\$196	 Total	224	3.8	3.8	\$5,852	\$22
Injury: Hip				, .,		<18	40	2.4	2.0	\$2,571	\$6
Total	49	0.8	5.0	\$13,315	\$11	45-64	41	3.1	3.5	\$6,049	\$19
65+	46	7.6	4.9	\$13,294	\$101	65+	121	19.9	4.6	. , \$5	\$0
Injury: Pois	onings			7-07-0	4	Cerebrovascula				4-	4.5
Total	14				•	Total	86	1.4	4.0	\$6,770	\$10
18-44	8		-	-	-	45-64	7		-	,	, -
10 11	· ·	•	•	•	•	65+	79	13.0	4.1	\$6,962	\$90
Psychiatric						Chronic Obstru				4-7	4
Total	78	1.3	5.2	\$3,934	\$5	Total	129	2.2		\$5,383	\$12
<18	13			ψ3/33 <u>1</u>		<18	17		•	,5,505	•
18-44	43	1.8	4.7	\$3,397	\$6	18-44	8	•			
45-64	9			43733.	4 0	45-64	32	2.5	3.0	\$5,222	\$13
65+	13	•	•	•	•	65+	72	11.8		\$6,373	\$75
		•	•	•	•	Drug-Related	, 2	11.0	3.0	Ç0/3/3	γ,3
Coronary Heart Disease					Total	12					
Total	174	2.9	2.5	\$6,276	\$18	18-44	3	•	•	•	•
45-64	46	3.5	1.8	\$5,442	\$19	10 11	3	•	•	•	•
65+	125	20.6	2.7	\$6,652	\$137	Total Hospital	lizations				
031	123	20.0	2.7	Ç0,032	Ψ137	Total	3,664	61.6	3.1	\$5,519	\$340
Malignant Neop	olasms (Ca	ncers)	• All			<18	707	43.2		\$1,695	\$73
Total	94			\$12,696	\$20	18-44	1,008	41.9	2.6	\$4,607	\$193
18-44	7			Ψ12,000	Ψ 20	45-64	566	43.4		\$7,136	\$310
45-64	25	1.9		\$14,100	\$27	65+	1,383		3.8	\$7,476	
65+	62	10.2		\$12,595	\$128	1	1,303	227.5	3.0	φ,,1,0	φ ι, / Ο ι
Neoplasms: F						 I	PENENTARI.	י אַספַסדי	TAT.T7ATT	NS*	
Total	13			-cmare po		Total	732	12.3		\$5,218	\$64
Neoplasms: C	_	•	•	•	•	<18	110	6.7		\$2,249	\$15
Total	.010-1 e 01a 19					18-44	82	3.4		\$3,576	\$13
65+	12	•	•	•	•	45-64	135	10.4		\$5,570	\$57
Neoplasms: I		•	•	•	•	45-04 65+	405	66.6	3.9	\$6,257	\$417
Total	4										
	4	•	•	•	•	* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization					
Diabetes						The definition of preventable hospitalizations in 1999					
Total	34	0.6	4.1	\$5,580	\$3	is consistent with the 1997 definition.					
65+	20	3.3	4.8	\$5,831	\$19	Please refer to the note at the bottom of this page in the					
						1997 report for 1996 and 1997.	an explana	tion of	f the cha	nge made	between